





13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 • FAX (402) 334-9121 • www.midwestlabs.com

Lab #	2788195	Report of Analysis		Report Number: 18-092-4003																																																																																																																																																	
<b>Account:</b> 29186	DAVE POWE SOCRRA 3910 W WEBSTER ROYAL OAK MI 48073		 Robert Ferris Account Manager 402-829-9871																																																																																																																																																		
<b>Date Sampled:</b> <b>Date Received:</b> <b>Sample ID:</b>	2018-03-16 SAMPLE				Compost																																																																																																																																																
<table border="1"> <thead> <tr> <th></th> <th></th> <th>Analysis (as rec'd)</th> <th>Analysis (dry weight)</th> <th>Total content, lbs per ton (as rec'd)</th> </tr> </thead> <tbody> <tr> <td colspan="5"><b>NUTRIENTS</b></td> </tr> <tr> <td colspan="5">Nitrogen</td> </tr> <tr> <td>Total Nitrogen</td> <td>%</td> <td>0.79</td> <td>1.68</td> <td>15.8</td> </tr> <tr> <td>Organic Nitrogen</td> <td>%</td> <td>0.76</td> <td>1.62</td> <td>15.3</td> </tr> <tr> <td>Ammonium Nitrogen</td> <td>%</td> <td>0.006</td> <td>0.013</td> <td>0.1</td> </tr> <tr> <td>Nitrate Nitrogen</td> <td>%</td> <td>0.02</td> <td>0.04</td> <td>0.4</td> </tr> <tr> <td colspan="5">Major and Secondary Nutrients</td> </tr> <tr> <td>Phosphorus</td> <td>%</td> <td>0.14</td> <td>0.30</td> <td>2.8</td> </tr> <tr> <td>Phosphorus as P2O5</td> <td>%</td> <td>0.32</td> <td>0.68</td> <td>6.4</td> </tr> <tr> <td>Potassium</td> <td>%</td> <td>0.47</td> <td>1.00</td> <td>9.4</td> </tr> <tr> <td>Potassium as K2O</td> <td>%</td> <td>0.57</td> <td>1.21</td> <td>11.4</td> </tr> <tr> <td>Sulfur</td> <td>%</td> <td>0.14</td> <td>0.30</td> <td>2.8</td> </tr> <tr> <td>Calcium</td> <td>%</td> <td>2.52</td> <td>5.36</td> <td>50.4</td> </tr> <tr> <td>Magnesium</td> <td>%</td> <td>0.44</td> <td>0.94</td> <td>8.8</td> </tr> <tr> <td>Sodium</td> <td>%</td> <td>0.030</td> <td>0.064</td> <td>0.6</td> </tr> <tr> <td colspan="5">Micronutrients</td> </tr> <tr> <td>Iron</td> <td>ppm</td> <td>4890</td> <td>10398</td> <td>9.8</td> </tr> <tr> <td>Manganese</td> <td>ppm</td> <td>382</td> <td>812</td> <td>0.8</td> </tr> <tr> <td>Boron</td> <td>ppm</td> <td>&lt; 100</td> <td>---</td> <td>---</td> </tr> <tr> <td colspan="5"><b>OTHER PROPERTIES</b></td> </tr> <tr> <td>Moisture</td> <td>%</td> <td>52.97</td> <td></td> <td></td> </tr> <tr> <td>Total Solids</td> <td>%</td> <td>47.03</td> <td></td> <td>940.6</td> </tr> <tr> <td>Organic Matter</td> <td>%</td> <td>25.70</td> <td>54.65</td> <td>514.0</td> </tr> <tr> <td>Ash</td> <td>%</td> <td>21.10</td> <td>44.86</td> <td>422.0</td> </tr> <tr> <td>Total Carbon</td> <td>%</td> <td>11.14</td> <td>23.69</td> <td></td> </tr> <tr> <td>Chloride</td> <td>%</td> <td>0.08</td> <td>0.17</td> <td></td> </tr> <tr> <td>pH</td> <td></td> <td>7.4</td> <td></td> <td></td> </tr> <tr> <td>Conductivity 1:5 (Soluble Salts)</td> <td>mS/cm</td> <td>2.85</td> <td></td> <td></td> </tr> </tbody> </table>							Analysis (as rec'd)	Analysis (dry weight)	Total content, lbs per ton (as rec'd)	<b>NUTRIENTS</b>					Nitrogen					Total Nitrogen	%	0.79	1.68	15.8	Organic Nitrogen	%	0.76	1.62	15.3	Ammonium Nitrogen	%	0.006	0.013	0.1	Nitrate Nitrogen	%	0.02	0.04	0.4	Major and Secondary Nutrients					Phosphorus	%	0.14	0.30	2.8	Phosphorus as P2O5	%	0.32	0.68	6.4	Potassium	%	0.47	1.00	9.4	Potassium as K2O	%	0.57	1.21	11.4	Sulfur	%	0.14	0.30	2.8	Calcium	%	2.52	5.36	50.4	Magnesium	%	0.44	0.94	8.8	Sodium	%	0.030	0.064	0.6	Micronutrients					Iron	ppm	4890	10398	9.8	Manganese	ppm	382	812	0.8	Boron	ppm	< 100	---	---	<b>OTHER PROPERTIES</b>					Moisture	%	52.97			Total Solids	%	47.03		940.6	Organic Matter	%	25.70	54.65	514.0	Ash	%	21.10	44.86	422.0	Total Carbon	%	11.14	23.69		Chloride	%	0.08	0.17		pH		7.4			Conductivity 1:5 (Soluble Salts)	mS/cm	2.85		
		Analysis (as rec'd)	Analysis (dry weight)	Total content, lbs per ton (as rec'd)																																																																																																																																																	
<b>NUTRIENTS</b>																																																																																																																																																					
Nitrogen																																																																																																																																																					
Total Nitrogen	%	0.79	1.68	15.8																																																																																																																																																	
Organic Nitrogen	%	0.76	1.62	15.3																																																																																																																																																	
Ammonium Nitrogen	%	0.006	0.013	0.1																																																																																																																																																	
Nitrate Nitrogen	%	0.02	0.04	0.4																																																																																																																																																	
Major and Secondary Nutrients																																																																																																																																																					
Phosphorus	%	0.14	0.30	2.8																																																																																																																																																	
Phosphorus as P2O5	%	0.32	0.68	6.4																																																																																																																																																	
Potassium	%	0.47	1.00	9.4																																																																																																																																																	
Potassium as K2O	%	0.57	1.21	11.4																																																																																																																																																	
Sulfur	%	0.14	0.30	2.8																																																																																																																																																	
Calcium	%	2.52	5.36	50.4																																																																																																																																																	
Magnesium	%	0.44	0.94	8.8																																																																																																																																																	
Sodium	%	0.030	0.064	0.6																																																																																																																																																	
Micronutrients																																																																																																																																																					
Iron	ppm	4890	10398	9.8																																																																																																																																																	
Manganese	ppm	382	812	0.8																																																																																																																																																	
Boron	ppm	< 100	---	---																																																																																																																																																	
<b>OTHER PROPERTIES</b>																																																																																																																																																					
Moisture	%	52.97																																																																																																																																																			
Total Solids	%	47.03		940.6																																																																																																																																																	
Organic Matter	%	25.70	54.65	514.0																																																																																																																																																	
Ash	%	21.10	44.86	422.0																																																																																																																																																	
Total Carbon	%	11.14	23.69																																																																																																																																																		
Chloride	%	0.08	0.17																																																																																																																																																		
pH		7.4																																																																																																																																																			
Conductivity 1:5 (Soluble Salts)	mS/cm	2.85																																																																																																																																																			

13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 • FAX (402) 334-9121 • www.midwestlabs.com

Lab #	2788195	<b>Biological &amp; Physical Properties</b>	Report Number: 18-092-4003						
<b>Account:</b> 29186	DAVE POWE SOCRRA 3910 W WEBSTER ROYAL OAK MI 48073		 Robert Ferris Client Service Representative 402-829-9871						
<b>Date Sampled:</b> <b>Date Received:</b> <b>Sample ID:</b>	2018-03-16 SAMPLE		Compost						
<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 35%;"></th> <th style="width: 15%;">Analysis (as rec'd)</th> <th style="width: 15%;">Analysis (dry weight)</th> <th style="width: 10%;">Units</th> <th style="width: 10%;">Detection Limit</th> <th style="width: 15%;">Method</th> </tr> </thead> </table>					Analysis (as rec'd)	Analysis (dry weight)	Units	Detection Limit	Method
	Analysis (as rec'd)	Analysis (dry weight)	Units	Detection Limit	Method				
<b>Biological Properties</b>									
Germination	100		%	1	TMECC 05.05A				
Germination Vigor	100		%	1	TMECC 05.05A				
CO <sub>2</sub> OM Evolution	0.32		mgCO <sub>2</sub> -C/gOM/day	0.01	TMECC 05.08B				
CO <sub>2</sub> Solids Evolution	0.48		mgCO <sub>2</sub> -C/gTS/day	0.01	TMECC 05.08B				
Fecal Coliform		195	mpn/g	0.2	EPA 1681				
Salmonella		3	mpn/4g	0.01	EPA 1682				
Stability Rating	Stable		N/A	N/A	TMECC 05.08B				
<b>Physical Properties</b>									
Bulk Density (Loose)	893		lbs/cu yard	1	WT/VOL				
Bulk Density (Packed)	1432		lbs/cu yard	1	WT/VOL				
Film Plastics	n.d.		%	0.25	Microscopic				
Glass Fragments	n.d.		%	0.25	Microscopic				
Hard Plastics	n.d.		%	0.25	Microscopic				
Metal Fragment	n.d.		%	0.25	Microscopic				
Sharps	Absent		---	---	Microscopic				
Max. Particle Length		1.5	inches	N/A	TMECC Sieve				
Sieve % Passing 3"		100	%	0.01	TMECC Sieve				
Sieve % Passing 2"		100	%	0.01	TMECC Sieve				
Sieve % Passing 1.5"		100	%	0.01	TMECC Sieve				
Sieve % Passing 1"		100	%	0.01	TMECC Sieve				
Sieve % Passing 3/4"		100	%	0.01	TMECC Sieve				
Sieve % Passing 5/8"		100	%	0.01	TMECC Sieve				
Sieve % Passing 3/8"		100	%	0.01	TMECC Sieve				
Sieve % Passing 1/4"		92	%	0.01	TMECC Sieve				

Compost Results Interpretations

Page 1

Report #:

18-092-4003

DATE RECEIVED:

2018-03-16

Organic Matter %		Greater than 20% indicates a desirable range for compost on a dry weight basis.
25.70	As Received	
54.65	Dry Weight	

Compost is a significant source of Organic Matter, which is an important supplier of carbon. Organic Matter improves soil and plant efficiency by improving soil physical properties, providing a source of energy to beneficial organisms, and enhancing the reservoir of soil nutrients.

C/N Ratio		20-30 indicates an ideal range for the initial compost process. 10-20 indicates an ideal range for a finished compost.
14.1:1		

All organic matter is made up of substantial amounts of carbon with lesser amounts of nitrogen. The balance of these two elements is called the Carbon/Nitrogen Ratio. For the best performance, the compost pile requires the correct proportion of carbon for energy and nitrogen for protein production. If the C:N ratio is too high (excess carbon) decomposition slows down. If the C:N ratio is too low (excess Nitrogen) the compost pile could be difficult to manage.

Moisture %		<35% = Indicates overly dry compost  >55% = Indicates overly wet compost
52.97		

Moisture Percent is the measure of water present in the compost and expressed as a percentage of total weight. Moisture present affects handling and transport. Overly dry will be light and dusty while overly wet will be heavy and clumpy. A desirable moisture content of finished compost will range between 40 to 50%.

Compost Results Interpretations

Page 2

Report #:

18-092-4003

DATE RECEIVED:

2018-03-16

Conductivity or Soluble Salts measures the conductance of electrical current in a liquid compost slurry. Excessive soluble salt content in a compost can prevent or delay seed germination and proper root growth. Conductivity analysis is done on a 1:5 basis.

Conductivity 1:5
2.9

Conductivity Level	Interpretation
Greater than 10	Very High nutrient content. Use for Ag Applications
5 - 10	High nutrient content. Use for Ag Applications
3 - 5	Higher than desirable for salt sensitive plants, some loss of vigor
0.6 - 3	Desirable range for most plants
0.3 - 0.6	Ideal range for greenhouse growth media
0.0 - 0.3	Very Low: Indicates very low nutrient status: plants may show deficiencies.

Compost Results Interpretations  
Page 3

Report #: 18-092-4003  
DATE RECEIVED: 2018-03-16

**pH Value**  
7.4

0 to 14 scale with 6 to 8 as normal pH levels for compost  
A pH in the 6 to 8 pH range indicates a more mature compost

pH measures the acidity or alkalinity of the compost, and is a measurement of the hydrogen ion activity of a soil or compost on a logarithmic scale. The pH scale ranges from 0 to 14 and 7 indicates a neutral pH. Growing media with a higher pH or pH greater than 7 can benefit from a compost that has a more acidic pH or pH below 7. This type of application will possibly lower the soil pH making the soil more conducive to plants that thrive in a more acidic soil condition.

**Nutrient Index (Ag Index)**  
>10

The Nutrient Index normally runs between 1 and 10.

The Nutrient Index is obtained by dividing the total nutrients (N,P,K) by the amount of salt (Sodium and Chloride). The higher the Nutrient Index the less chance of having a toxic buildup of Sodium (salt) in the soil.

AG INDEX CHART										
<i>salt injury possible</i>	<i>use on soils with excellent drainage characteristics, good water quality and low salts</i>				<i>you may use on soils with poor drainage, poor water quality, or high salts</i>				<i>for all soils</i>	
1	2	3	4	5	6	7	8	9	10	> 10

**Nutrients (N+P205+K20)**  
3.57 Average Nutrient Content Dry Weight <2 = Low, >5 = High  
1-0.5-0.5 Rating As Received

The most commonly used compost data is the amount of Nitrogen, Phosphate, and Potash (abbreviated as N,P,K) present and the information is similar to that found in common fertilizers. If a compost result has the rating 1-2-2 it means that the compost has 1% Nitrogen, 2% Phosphate and 2% Potash. Most compost tests will have a average nutrient level (N+P+K) of < 5%.

**18-092-4003**

REPORT DATE  
**Apr 02, 2018**  
 RECEIVED DATE  
**Mar 16, 2018**

SEND TO  
**29186**



13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770  
 www.midwestlabs.com

ISSUE DATE  
**Apr 02, 2018**

**SOCRRA  
 DAVE POWER  
 3910 W WEBSTER  
 ROYAL OAK MI 48073**

**REPORT OF ANALYSIS**  
 For: (29186) SOCRRA  
 Compost

Analysis	Level Found		Units	Reporting		Method	Analyst- Date	Verified- Date
	As Received	Dry Weight		Limit				

Sample ID: <b>SAMPLE</b>	Lab Number: <b>2788195</b>							
Cadmium (total)	n.d.	n.d.	mg/kg	0.50	EPA 6010		ras7-2018/03/20	bab2-2018/03/23
Chromium (total)	26.2	55.8	mg/kg	1.00	EPA 6010		ras7-2018/03/20	bab2-2018/03/23
Mercury (total)	n.d.	0.05	mg/kg	0.05	EPA 7471		com2-2018/03/21	bab2-2018/03/23
Lead (total)	10.5	22.4	mg/kg	5.0	EPA 6010		ras7-2018/03/20	bab2-2018/03/23
Molybdenum (total)	1.0	2.2	mg/kg	1.0	EPA 6010		ras7-2018/03/20	bab2-2018/03/23
Nickel (total)	3.6	7.6	mg/kg	1.0	EPA 6010		ras7-2018/03/20	bab2-2018/03/23
Selenium (total)	n.d.	n.d.	mg/kg	10.0	EPA 6010		ras7-2018/03/20	bab2-2018/03/23
Zinc (total)	58.9	125.3	mg/kg	2.0	EPA 6010		ras7-2018/03/20	bab2-2018/03/23
Copper (total)	12.8	27.2	mg/kg	1	EPA 6010		ras7-2018/03/20	bab2-2018/03/23
Arsenic (total)	2.14	4.54	mg/kg	0.5	EPA 6020		ras7-2018/03/26	bab2-2018/03/26

EPA 1681 holding time of < 24 hours from sampling to laboratory set up of samples for biosolids and compost has been exceeded. Individual states enforce different holding times for compost or biosolids so please contact the regulatory body in your state for their requirements.

EPA 1682 holding time of < 6 hours from sampling to laboratory set up of samples for biosolids and compost has been exceeded. If a level of Salmonella was reported, the value would be considered an estimate. Individual states enforce different holding times for compost or biosolids so please contact the regulatory body in your state for their requirements.  
 n.d. = not detected , ppm = parts per million, mg/kg

For questions please contact:

*Stacie Nelson*  
 Stacie Nelson  
 Account Manager

The result(s) issued on this report only reflect the analysis of the sample(s) submitted. Our reports and letters are for the exclusive and confidential use of our clients and may not be used for any other purpose. Our reports and letters are for the exclusive and confidential use of our clients and may not be used for any other purpose.

be made  
 horization.